

Complying with Regulation (EC) No 1272/2008 (CLP) as amended by Commission Regulation (EU) 2015/830.

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**1.1 Product identifier**

Product name: S-CHELATE Ca
CAS Number: Not applicable
EC Number: Not applicable
REACH No: Not applicable

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant identified uses: Fertilizer for agricultural use.
Uses advised against: Uses other than those described above.

1.3 Details of the supplier of the safety data sheet

Company Name: Soil Biology Ltd
Company Address: Unit 30 Branbridges Industrial Estate
East Peckham
TN12 5HF
United Kingdom

Company Tel: +44 01892 883759
Fax Number:

Contact Name:
E-mail address of person responsible for this SDS: info@soilbiology.uk

1.4 Emergency telephone number

Emergency telephone number (including hours of operation): +44 (0) 1892 883759 (8am – 5pm).


SECTION 2: HAZARDS IDENTIFICATION**2.1 Classification of the substance or mixture**

Classification in accordance to Regulation (EC) No. 1272/2008 (CLP/GHS)

Product name	GHS Classification
S-Chelate Ca	Serious Eye Damage/Irritation, Category 2

2.2 Label elements

Labelling in accordance with Regulation 1272/2008 (CLP)

	SAFETY DATA SHEET	
S-Chelate Ca	16th Aug 2022	Page 2 of 11

Hazard pictograms:



Signal word: WARNING

Hazard statements: H319 - Causes serious eye irritation

Precautionary Statements: P264 - Wash thoroughly after handling.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 - If eye irritation persists: Get medical advice/attention.

Supplemental Hazard Statements. None known

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances :
Not applicable.

3.2 Mixture :

Product/ Ingredient name	Identifiers	%	Classification 1272/2008/EC	M Factor	Specific conc'n limits (SCL)	Acute toxicity estimate (ATE)
2- Hydroxypropane- 1,2,3-tricarboxylic acid	CAS No 77-92-9 EC No 201-069-1 REACH No 01- 2119457 026- 42-XXXX	50 - 60%	Eye Irrit. 2, H319	1	No SCL in Annex VI	No ATE in Annex VI
Calcium Ethanoate	CAS No 62-54-4 EC No	40 - 50%	Not classified as hazardous under CLP	1	No SCL in Annex VI	No ATE in Annex VI

200-540-9					
REACH No 01- 2119987569- 11-XXXX					

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in section 8.
See section 16 for the full text of the EUH, H and P phrases declared above.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Eye contact: If in eyes: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If the irritation persists immediately call the medical service.

Skin contact: Wash the contaminated area with plenty of water, replace the contaminated clothing and shoes with clean ones, if necessary (contaminated clothes must be washed before reuse); if the irritation persists seek medical assistance.

Inhalation: Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Oxygen should only be administered by qualified personnel. Seek medical advice.

Ingestion: Do NOT induce vomiting. Get medical attention immediately. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye irritation

The following symptoms may occur:

In case of inhalation	May cause irritation to respiratory tract
In case of skin contact	May cause redness or irritation
In case of eye contact	Causes serious eye irritation
In case of ingestion	Ingestion of large amounts may cause gastrointestinal disturbances

4.3 Indication of any immediate medical attention and special treatment needed If

any symptoms are observed, contact a physician and give them this SDS sheet.

Provide general supportive measures and treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media: : Use any suitable mean for extinguishing surrounding fire. Spray water for small fires. For large fires flood with abundant water.

	SAFETY DATA SHEET	
S-Chelate Ca	16th Aug 2022	Page 4 of 11

Unsuitable extinguishing media: None, but attention should be paid to compatibility with surrounding chemicals.

5.2 Special hazards arising from the substance or mixture

Irritating and toxic gases or fumes may be released during a fire.

Hazardous combustion products:

Carbon oxides, calcium oxides.

5.3 Advice for firefighters

Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (self contained breathing apparatus (SCBA)). In addition, wear other appropriate protective equipment as conditions warrant (see Section 8).

Keep out of drains, surface waters and soil against pollution.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering.

For emergency responders

Keep unauthorized people away and upwind. Wear appropriate personal protective equipment (refer to Section 8 Exposure controls/ personal protection) and avoid contact with eyes and skin. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

Avoid dispersal of spilt material and runoff and contact with waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways or air).

6.3 Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if safe to do so. Sweep up and collect into containers for disposal. Keep in suitable, closed containers for disposal.

Small Spills: Sweep up and collect into containers for disposal. Keep in suitable, closed containers for disposal. For waste disposal, see section 13 of the SDS.

6.4 Reference to other sections

See Section 1 for emergency contact information.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid generation of dust. Avoid contact with skin and eyes. Avoid prolonged exposure. Provide appropriate exhaust ventilation at places where dust is formed. Wear appropriate personal protective equipment. Wash hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. Observe good industrial hygiene practices.

7.2 Conditions for safe storage, including any incompatibilities

	SAFETY DATA SHEET	
S-Chelate Ca	16th Aug 2022	Page 5 of 11

Keep/store only in original container. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store indoors and ideally at 20°C or under to prevent caking due to the product's low melting point.

Do not store together with: reducing agents (see Section 10 of the SDS).

7.3 Specific end use(s):

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: EXPOSURE CONTROL / PERSONAL PROTECTION

8.1 Control parameters

Occupational exposure limit values:

Ingredient name	CAS Number	Occupational exposure limits	Source
2-Hydroxypropane-1,2,3-tricarboxylic acid	5949-29-1	Short-term value: No data available Long-term value: No data available	UK. EH40/2005 (4 th Edition 2020) Workplace exposure limits
Calcium Ethanoate	62-54-4	Short-term value: No data available Long-term value: No data available	UK. EH40/2005 (4 th Edition 2020) Workplace exposure limits

Monitoring procedures: Use methods described in European Standards.

Derived No Effect Level (DNEL):

2-Hydroxypropane-1,2,3-tricarboxylic acid

None established

Calcium Ethanoate

Application Area	Exposure routes	Health Effect	Value
Workers	Inhalation	Long-term systemic effects	1020.28 mg/m3
Workers	Inhalation	Short-term systemic effects	6121.68 mg/m3
Workers	Dermal	Long-term systemic effects	11.57 mg/kg bw/day
Workers	Dermal	Short-term systemic effects	69.44 mg/kg bw/day
General population	Inhalation	Long-term systemic effects	498.85 mg/m3
General population	Inhalation	Short-term systemic effects	2993.1 mg/m3
General population	Dermal	Long-term systemic effects	5.8 mg/kg bw/day
General population	Dermal	Short-term systemic effects	34.72 mg/kg bw/day
General population	Orall	Long-term systemic effects	5.8 mg/kg bw/day
General population	Oral	Short-term systemic effects	34.72 mg/kg bw/day

Predicted No Effect Concentration (PNEC):

2-Hydroxypropane-1,2,3-tricarboxylic acid

Compartment	Value Fresh
water	0.44 mg/L
Marine water	0.044 mg/L
Sewage treatment plant	1000 mg/L
Fresh water sediment	34.6 mg/kg sediment dw

	SAFETY DATA SHEET	
	S-Chelate Ca	16th Aug 2022 Page 6 of 11

Marine sediment	3.46 mg/kg sediment dw
Soil	33.1 mg/kg soil dw

Calcium Ethanoate

Compartment	Value Fresh
water	0.964 mg/L
Marine water	0.096 mg/L
Sewage treatment plant	0.7 mg/L
Fresh water sediment	0.726 mg/kg sediment dw
Marine sediment	0.073 mg/kg sediment dw
Soil	0.154 mg/kg soil dw

8.2 Exposure controls

Appropriate Engineering Measures

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits.

If exposure limits have not been established, maintain airborne levels to an acceptable level.

Provide eyewash station. Eye wash fountain and emergency showers are recommended.

Concentrations should be monitored hazardous substances in the workplace in accordance with recognized test methods. Mode, method, type and frequency of testing and measurement of harmful factors in the working environment should meet the requirements of local/regional/national laws.

Individual protection measures, such as personal protective equipment:

Eye and face protection: Wear safety goggles.

Skin protection:

Hand protection: Wear appropriate chemical resistant gloves. Nitrile rubber gloves, over 0.11 mm thickness, > 480 min breakthrough time, recommended. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material: The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Other skin protection: The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Wash hands after use.

Respiratory protection: Wear respiratory protection, where airborne concentrations are expected to exceed exposure limits. Use respirators and components tested and approved under appropriate government standards such as NIOSH or MSHA-approved respiratory protection.

Thermal hazards: None known.

Environmental exposure controls: Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance:	Powder
Colour:	White
Odour:	Ethanoic acid odour
Odour threshold:	Not determined
pH (1% solution):	3
Melting point/Freezing point:	Not determined Initial
boiling point/boiling range:	Not determined Flash point: Not determined
Evaporation rate:	Not determined
Flammability (solid, gas):	Not applicable
Upper/lower flammability or explosive limits:	
Flammability limit – lower (%):	Not determined
Flammability limit – upper (%):	Not determined
Vapour pressure:	Not determined
Vapour density (air=1):	Not determined
Relative Density:	Not determined
Solubility(ies):	Highly soluble
Partition coefficient Octanol/Water:	Not determined
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
Viscosity at 20°C:	Not determined
Explosive properties:	Product does not present an explosion hazard.
Oxidising properties:	Not expected to be an oxidizer.

9.2 Other information:

No further data available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

No hazardous reactions anticipated under normal storage and handling conditions.

10.2 Chemical stability

Stable under normal ambient and anticipated conditions of use.

10.3 Possibility of hazardous reactions

None expected

10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources. Avoid high temperatures.

10.5 Incompatible materials

Materials to avoid include; reducing substances under specific conditions

10.6 Hazardous Decomposition products:

Carbon oxides, calcium oxides

SECTION 11: TOXICOLOGICAL INFORMATION
11.1 Information on toxicological effects
Acute toxicity:

Product/ingredient name	Test	Species	Dose
2-Hydroxypropane-1,2,3-tricarboxylic acid	LD50 Oral LD50	Rat	11700 mg/kg
	Dermal LC50	Rabbit	> 2000 mg/kg
	Inhalation	Rat	None known
Calcium Ethanoate	LD50 Oral LD50	Rat	2700 mg/kg
	Dermal LC50	Rabbit	None known
	Inhalation	Rat	None known

Skin corrosion/irritation:	May cause slight skin irritation.
Serious eye damage/eye irritation:	Expected to cause serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
Respiratory or skin sensitization:	Not expected to cause respiratory or skin sensitization.
Germ cell mutagenicity:	This product is not anticipated to be a mutagen.
Carcinogenicity:	This product is not expected to be a carcinogen.
Reproductive toxicity:	This product is not expected to cause damage to fertility or the unborn child.
STOT - Single exposure:	This material is not expected to cause damage from a single exposure.
STOT - Repeat exposure:	This product is not expected to cause damage to organs after prolonged or repeated exposure.
Aspiration hazard:	This product is not anticipated to be an aspiration hazard if swallowed.

SECTION 12: ECOLOGICAL INFORMATION
12.1 Toxicity:

Substance name	Toxicity to fish / other aquatic invertebrates
2-Hydroxypropane-1,2,3-tricarboxylic acid	Fish LC50 - <i>Leuciscus idus</i> (Golden orfe) - 440 - 760 mg/l - 96 h Invertebrates EC50 <i>Daphnia magna</i> (Water flea) - ca. 120 mg/l - 72 h Algae IC5 - <i>M.aeruginosa</i> - 80 mg/l - 8 d Bacteria EC5 - <i>Pseudomonas putida</i> - > 10,000 mg/l - 16 h
Calcium Ethanoate	No data available

12.2 Persistence and Degradability:

No data available for this product

	SAFETY DATA SHEET	
S-Chelate Ca	16th Aug 2022	Page 9 of 11

12.3 Bioaccumulative potential:

No data available for this product.

12.4 Mobility in soil:

No data available for this product

12.5 Results of PBT and vPvB assessment:

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects:

None known.

12.7 Additional information:

None known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Product

Do not allow product to reach sewage system.

Dispose of waste materials in accordance with applicable local and national laws and regulations.

Where possible, recycling is preferred to disposal or incineration. Contact the proper local authorities.

Contaminated packaging

Since emptied containers retain product residue, follow label warnings even after container is emptied.

Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: TRANSPORT INFORMATION

International transport regulations

14.1 UN number:

ADR/RID: Not applicable

IMDG: Not applicable

IATA: Not applicable

14.2 Proper shipping name:

ADR/RID: Not classified as dangerous goods

IMDG: Not classified as dangerous goods

IATA: Not classified as dangerous goods

14.3 Transport hazard class(es)

ADR/RID: Not applicable

IMDG: Not applicable

IATA: Not applicable

14.4 Packing group

ADR/RID: Not applicable

IMDG: Not applicable

IATA: Not applicable

14.5 Environmental hazard

Marine Pollutant: No

14.6 Special precautions for user

No data available

	SAFETY DATA SHEET	
S-Chelate Ca	16th Aug 2022	Page 10 of 11

14.7 Transport to bulk according to Annex II of MARPOL and the IBC Code

Not applicable

Section 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of:

EU Commission Regulation (EU) 2015/830 (Reach)

EU Regulation (EC) No 1272/2008 (CLP)

EINECS: All components in this product are listed on the European Inventory of Existing Chemical Substance

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out on this product.

Section 16: OTHER INFORMATION

Full text of H & P-Statements referred to under sections 2 and 3.

Eye Irrit Eye Irritation

H319 Causes serious eye irritation

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

Training advice: Before using/handling the product one must read carefully present SDS.

Abbreviations and acronyms:

ACGIH: American Conference of General Industrial Hygienist

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European

BCF: Bio Concentration Factor

CAS: Chemical Abstracts Service (division of the American Chemical Society)

CLP: Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

DGR: Dangerous Goods Regulations DNEL:
Derived No Effect Level

EC50: Half maximal effective concentration

EINECS: European Inventory of Existing Commercial Chemical Substances

EU: European Union

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

IATA: International Air Transport Association

IBC: International Bulk Code

IMDG: International Maritime Code for Dangerous Goods

IOELV: Indicative Occupational Exposure Limit Value

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

MARPOL: International Convention for the Prevention of Pollution from Ships

OEL: Occupational Exposure Level

OSHA: Occupational Safety and Health Administration

PBT: Persistent, Bioaccumulative and Toxic



S-Chelate Ca

16th Aug 2022

Page 11 of 11

PEL:	Permissible Exposure Limit
PNEC:	Predicted No Effect Level
REACH:	Registration, Evaluation, Authorisation and Restriction of Chemicals
SCBA:	Self Contained Breathing Apparatus
SCL:	Specific Concentration Limits
STEL:	Short Term Exposure Limit
TLV:	Threshold Limit Value
TWA:	Time Weighted Average
UN:	United Nations
VPvB:	Very Persistent and very Bioaccumulative
WEL:	Workplace Exposure Limit

Document history

Date of issue: 16th Aug 2022
Supersedes: 22nd Dec 2020
Reason for revision: Change of address

Version no.3

DISCLAIMER: The product information contained herein is believed to be accurate as of the date of the Safety Data Sheet, and is provided without warranty, expressed or implied, as to the results of use of this information or the product to which it relates. Recipient assumes all responsibility for the use of this information and the use (alone or in combination with any other product), storage or disposal of the product, including any resultant personal injury or property damage.